

BIBLIOGRAFIA

A

Andreas E.L., R.J. Hill, J.R. Gosz, D.I. Moore, W.D. Otto, A.D. Sarma (1998): *Statistics of surface-layer turbulence over terrain with metre-scale heterogeneity* – Bound. Layer Meteor., **86**, 379-408

Arya S.P. (1981): *Parameterizing the height of the stable atmospheric boundary Layer* – J. Appl. Meteor., **20**, 1192-1202

Arya S.P. (1987): *Introduction to Micrometeorology* – Academic Press, San Diego, CA, 307 pp.

Atkinson DG., D.T. Bailey, J.S. Irwin, J.S. Touma (1997): *Improvements to the EPA Industrial Source Complex Dispersion Model* – J. Appl. Meteor., **36**, 1088-1095

Aubinet M., Elbers I., Grelle A., Ibrom A., Kowalski A., Massheder j., Pilegaard K., Rebman C. (1998): *A list of recommended formulas for eddy covariance computations*. EUROFLUX ENV4-CT95-0078.

B

Baerentsen J.H., R. Berkowicz (1984): *Monte Carlo Simulation of plume dispersion in the convective boundary layer* – Atmos. Environ. **18**, 701-712

Baik J.J., J.J. Kim (1999): *A numerical study of flow and pollutant dispersion characteristics in urban street canyon* – J. Appl. Meteor., **38**, 1576-1589

Baldocchi D.D., K.T. Paw U, R.H. Shaw, R.L. Snyder (1995): *Advanced Short Course on Biometeorology and Micrometeorology* – 26 Giugno – 1 Luglio 1995, Sassari – Italia

Batchvarova E., Gryning S.E. (1994): *An applied model for the height of the daytime mixed layer and entrainment zone* – Bound. Layer Meteor., **71**, 311-323

Beljaars A.C.M., A.M.M. Holtslag (1990): *Flux parametrization over land surfaces for atmospheric models* – J. Appl. Meteor. **30**, 327-341

Benincasa F., G. Maracchi, P. Rossi (1991): *Agrometeorologia* – Patron Ed., Bologna, 426 pp.

Benson P.E. (1979): *CALINE3 - A versatile dispersion model for predicting air pollutant levels near highways and arterial streets* - Federal Highway Administration FHWA/CA/TL-79/23

Berkowicz R., H.R. Olesen, U. Torp (1985): *The Danish Gaussian Air Pollution Model (OML): description, test and sensitivity analysis in view of regulatory applications* – 15th ITM on Air Pollution Modeling and its Application, St. Louis, 1985

Berkowicz R., O. Hertel, S.E. Larsen, N.N. Sorensen, M. Nielsen (1997): *Modelling traffic pollution in streets* – Ministry of Environmental and Energy, National Environmental Research Institute, Danimarca.

Bernard J.C., H.L. Wegley, T.R. Hiester (1987): *Improving the performance of mass-consistent numerical models using optimization techniques* – J. Clim. Appl. Meteor., **26**, 675-686

Beyrich F. (1997): *Mixing height estimation from SODAR data: a critical discussion* – Atmos. Environ.,

Beyrich F., S.E. Gryning (1998): *Estimation of the entrainment zone depth in a shallow convective boundary layer from Sodar data* – J. Appl. Meteor., **37**, 255-268

Bjorklund J.D., J.F. Browsers (1982): *User's instructions for the SHORTZ and LONGZ computer programs* - US-EPA-903/9-82-004

Blackadar A.K. (1997): *Turbulence and Diffusion in the Atmosphere* - Springer, New York, 185 pp.

Bonino G., P. Trivero (1982): *Stabilità termodinamica dello strato limite planetario: studi radioacustici* - CNR, Progetto Finalizzato Promozione della Qualità dell'Ambiente

Briggs G.A. (1971): *Some recent analyses of plume rise observations*. - Proceeding of the Second International Clean Air Congress (Englund e Beery ed.) Academic Press

Briggs G.A. (1973): *Diffusion estimation for small emissions, in environmental research laboratories*. - Air Resources Atmospheric Turbulence and Diffusion Laboratory 1973 Annual report USAEC ATDL-106 NOAA

Briggs G.A. (1975): *Plume Rise predictions* in Lectures on Air Pollution and Environmental Impact Analyses (D.A. Haugen ed.) American Meteorological Society

Briggs G.A. (1984): *Plume rise and buoyancy effects* – Capitolo 8 in: Atmospheric Science and Power Production, D. Randerson, Ed. DOE/TIC-27601, US Department of Energy

Briggs G.A. (1985): *Analytical parameterization of diffusion: the convective boundary layer* - J. Climate Appl. Meteor. **24**, 1167-1186

Briggs G.A. (1988): *Analysis of diffusion field experiments* - in: *Lectures on Air Pollution Modeling*, ed. A. Venkatram e J.C. Wyngaard, American Meteorological Society, Boston 390 pp.

G.A. Briggs (1993): *Plume dispersion in the convective boundary layer. Part II: Analyses of CONDORS field experiment data* - J. of Appl. Meteor. **32**, 1388-1425

Brost R., J.C. Wyngaard (1978): A model study of the stably stratified planetary boundary layer – J. Atmos. Sci., **35**, 1427-1440

Brutsaert W. (1984): *Evaporation into the Atmosphere: theory, history and applications* – D. Reidel Publishing Company, Dordrecht, 298 pp.

C

Carras, D.J. Williams J.N. (1984): *Experimental studies of plume dispersion in convective conditions* - Atmos. Environ. **18**, 135- 144

Carson D.J. (1973): *The development of a dry inversion-capped convectively unstable boundary layer* - Quart. J.R. Met. Soc., **99**, 450-467

Carson D.J., F.B. Smith (1974): *Thermodynamic model for the development of a convectively unstable boundary layer* – Advances Geophys. **18A**, Academic Press, New York. 111-124 pp.

Caughey S.J., J.C. Wyngaard, J.C. Kaimal (1979): *Turbulence in the evolving stable boundary layer* - J. Atmos. Sci., **36**, 1040-1052

Caughey S.J., S.G. Palmer (1979): *Some aspects of turbulence structure through the depth of the*

convective boundary layer – Quart. J. Roy. Meteor. Soc., **105**, 811-827

Caughey S.J., J.C. Wyngaard, J.C. Kaimal (1979): *Turbulence in the evolving stable boundary layer* - J. Atmos. Sci., **36**, 1041-1052

Chadwick R.B., E.E. Gossard(1985): *Radar probing and measurement of the Planetary Boundary Layer: scattering from refractive index irregularities* - in Probing the Atmospheric Boundary Layer, American Meteorological Society, Boston, MA

Chamberlain A.C. (1953): *Aspects of travel and dispersion of aerosol and vapour clouds* – UKAEA Rep. AERE-HP/R-126A, Harwell, Berkshire, England

Chan T.L., G. Dong, C.W. Leung, C.S. Cheung, W.T. Hung (2002): *validation of a two-dimensional pollutant dispersion model in isolated street canyon* – Atmos. Environ., **36**, 861-872

Charnock H. (1955): *Wind stress on a water surface* - Q.J. Roy. Meteor. Soc., **81**, 639-640

Chock D.P. (1978): *A simple line-source model for dispersion near roadways* – Atmos. Environ. **12**, 823-829.

Chino M. (1992): *Manual of suite of computer codes EXPRESS* - JAERI - M92-082, Japan Atomic Energy Research Institute

Cimorelli A.J., S.G. Perry, A. Venkatram, J.C. Weil, R.J. Paine, R.B. Wilson, R.F. Lee, W.D. Peters (1998): *AERMOD description of model formulation* – draft document US-EPA

Cimorelli A.J., S.G. Perry, A. Venkatram, J.C. Weil, R.J. Paine, R.B. Wilson, R.F. Lee, W.D. Peters, R.W. Brode, J.O. Pauimer (2002): *AERMOD: description of model formulation* – US-EPA 454/R-02-002d

Cleugh H.A., T.R. Oke (1986): *Suburban-rural energy balance comparisons in summer for Vancouver BC*.- Bound. Layer Meteor., **36**, 351-369

Coatic M., C.A. Friehe (1982): *Slow-response humidity sensors* - in “Air-Sea interaction Instruments and methods, F. Dobson, L. Hasse, R. Davis ed., Plenum Press, New York, 801 pp.

Csanady (1955): *Disspersal of dust particles from elevated sources* – Austral. J. Phys, **8**, 545-550

D

De Baas A.F., H. van Dop, F.T. Nieuwstandt (1986): *An application of the Langevin equation for inhomogeneous conditions to dispersion in convective boundary layer* – Quarterly J. Roy. Meteor. Soc, **112**, 165-180

De Bruin H.A.R., A.A.M. Holtslag (1982): *A simple parameterization of the surface fluxes of sensible and latent heat during daytime compared with the Penman-Monteith concept* - J. Appl. Meteor. **21**, 1610-1621

De Haan P. (1999): *On the use of density kernels for concentration estimations within particle and puff dispersion models* – Atmos. Environ., **33**, 2007-2021

De Haan P., M.W. Rotach (1998a): *A novel approach to atmospheric dispersion modelling: the puff-particle model* – Quart. J. Roy. Meteor. Soc., **124**, 2771-2792

De Haan P., M.W. Rotach (1998b): *The treatment of relative dispersion within a combined puff-particle model*. In: Air Pollution and Its Application XII, S.E. Gryning e N. Chaumerliac (eds), Plenum Press,

New York, 389-396

Deardorff J.W. (1985): *Laboratory experiments on diffusion: the use of convective mixed layer scaling* - J. Clim. Appl. Meteor. **24**, 1143-1151

Deardorff J.W., G.E. Willis (1985): *Further results from laboratory model of the convective planetary boundary layer* - Bound. Layer Meteor. , **32**, 205-236

Draxler R.R. (1976): *Determination of atmospheric diffusion parameters* - Atmos. Environ **10**,99-105

Driedonks A.G.M. (1982): *Models and observations of the growth of the atmospheric boundary layer* – Bound. Layer Meteor. **23**, 283-306

Driedonks A.G.M., H.Tennekes (1984): *Entrainment effects in the well-mixed atmospheric boundary layer* - Bound. Layer Meteor., **30**, 75-105

Dutton J.A. (1995): *Dynamic of Atmospheric motion* - Dover Publications, New York, 617 pp.

Dyer A.J., B.B. Hicks (1970): *Flux gradient transport of heat and watervapor in an unstable atmosphere* – Q.J.R. Meteorol., **93**, 501-508

Dyer A.J. (1974): *A review of flux-profile relationships* – Bound. Layer Meteor. **7**, 363-372

E

Elliott W.P. (1958): *The growth of the atmospheric internal boundary layer*- Trans. Amer. Geophys. Union, **39**, 1048-1054

Endlich R.M., F.L. Ludwig, C.M. Bhumralkar (1982): *A diagnostic model for estimating winds at potential sites for wind turbines* - j. Appl. Meteor., **21**, 1441-1454

Eskridge R.E., J.C.R. Hunt (1979): *Highway modelling I Prediction of velocity and turbulence fields in the wake of vehicles* – J. Appl. Meteor., **18**, 387-400

Eskridge R.E., W.B. Petersen, S.T. Rao (1991): *Turbulent diffusion behind vehicles. Effect of traffic speed on pollution concentrations*- JAWMA, **41**, 312-317

F

Finzi G., G. Brusasca (1991): *La Qualità dell'Aria – Modelli previsionali e gestionali* – ed. Mason, Milano 346 pp.

Fisher N.I. (1987): *Problems with the current definitions of the standard deviation of wind direction* – J. Clim. Appl. Meteor., **26**, 1522-1529

Fisher N.I. (1993): *Statistical analysis of circular data* – Cambridge University Press, Cambridge UK, 277 pp.

Flesch T.K., J.D.Wilson(1992): *A two-dimensional trajectory simulation model for non-gaussian, inhomogeneous turbulence within plant canopies* – Bound. Layer Meteor. **61**, 349-374
dispersion in the convective boundary layer - Atmos. Environ., **33**, 2337-2345

G

- Galinski A.E., D.J. Thomson (1992): *Comparison of three sensible heat flux schemes*; Meteorological Office, Turbulence and diffusion note n° 205 - Bracknell
- Gardiner C.W. (1983): *Handbook of stochastic Methods for Physics, Chemistry and Natural Sciences* - Springer ed, Berlino 442 pp.
- Garratt J.R. (1990): *The Internal Boundary Layer – A review* – Bound. Layer Meteor. **50**, 171-203
- Garratt J.R. (1992): *The Atmospheric Boundary Layer* - Cambridge University Press. , New York, 316 pp.
- Gery M.W., G.Z. Whitten, J.P. Killus, M.C. Dodge (1989): *A photochemical kinetics mechanism for urban and regional computer modelling* – J. Geophys. Res.; **94**, 12925-12956
- Gillespie D.T. (1992): *Markov processes: An introduction for Physical Scientists* – Academic Press, San Diego CA, 565 pp.
- Golder D. (1972): *Relations among stability parameters in the surface layer* - Bound. Layer Meteor., **3**, 47-58
- Goodin W.R., J.M. Gregory, J.H. Seinfeld (1979): *A comparison of interpolation methods for sparse data: application to wind and concentration fields* – J. Appl. Meteor., **18**, 761-771
- Gopalakrishnan S.G., M. Sharan (1997): *A lagrangian particle model for marginally heavy gas dispersion* – Atmos. Environ., **31**, 3369-3382
- Green A.E., R.P. Singhal, R. Venkateswar (1980): *Analytic extensions of the Gaussian Plume Model* - JAPCA, **30**(7):773-776
- Gryning S.E., A.P. van Ulden, S. Larsen (1983): *Dispersion from a continuous ground-level source investigated by a K model* - Quart. J. R. Met. Soc. **109**, 355-364
- Gryning S.E., E. Batchvarova (1990): *Simple model of the daytime boundary layer height* – Ninth Symposium on Turbulence and diffusion, AMS , Roskilde, Denmark.
- Gryning S.E., E. Batchvarova (1990): *Analytical model for the growth of the coastal internal boundary layer during onshore flow* – Q.J.R. Meteor. Soc., **116**, 187-203
- Gryning S.E., E. Batchvarova (1994): *Parametrization of the depth of the entrainment zone above the daytime mixed layer* – Q.J.R. Meteor. Soc., **120**, 47-58

H

- Hanna S.R. (1986): *Lateral dispersion from tall stacks* – J. Clim. Appl. Meteor., **25**, 1426-1433
- Hanna S.R., G.A. Briggs, R.P. Hosker (1982): *Handbook on Atmospheric Diffusion* - DOE/TIC-11223, Tecnical Information Center U.S. Department of Energy
- Hanna S.R., G.A. Briggs, J. Deardorff, B.A. Egan, F.A. Gifford, F. Pasquill: *AMS Workshop on Stability Classification Schemes and Sigma Curves* - J. Clim. Appl. Meteorol. **58**:1305-1309
- Hanna S.R., R.J. Paine (1989): *Hybrid plume dispersion model (HPDM) Development and evaluation* –

J. Appl. Meteor., **28**, 206-224

Hanna S.R., J.C. Chang (1991): *Modification of the Hybrid Plume Dispersion Model (HPDM) for urban conditions and its evaluation using the Indianapolis data set* - EPRI Project Report Number A089-1200.

Hanna S.R., J.C. Chang (1991): *User's guide for HPDM-4.0 Software Package* - EPRI Project RP-02736-1

Hanna S.R., J.C. Chang (1992): *Boundary layer parameterizations for applied dispersion modeling over urban areas* – Bound. Layer Meteor., **58**, 229-259

Harkonen J., E. Valkonen, J. Kukkonen, E. Rantakrans, L. Jalkanen, K. Lahtinen (1995): *An operational dispersion model for predicting pollution from a road* – Int. J. Environ. and Pollution, **5**, 602-610

Hertel O., R. Berkowicz (1989): *Modelling pollution traffic in a street canyon. Evaluation of data and model development* – DMU Luft A-129, 77pp.

Hicks B.B. (1985): *Behavior of turbulence statistics in the convective boundary layer* - J. Clim. Appl. Meteor., **24**, 607-614

Hicks B.B., J. Dyer (1972): *The spectral density technique for the determination of eddy fluxes* – Quart J. R. Met. Soc., **98**, 838-844

Hinzpeter H. (1982): *Atmospheric Radiation instruments* - in “Air-Sea interaction Instruments and Methods” Dobson F., L. Hasse, R. Davis Ed., Plenum Press, New York, 801 pp.

Holton J.R. (1992): *An Introduction to Dynamic Meteorology* - Academic Press Inc., New York, 319 pp.

Holtstag A.A.M., A.P. Van Ulden (1983): *A simple scheme for daytime estimates of the surface fluxes from routine weather data* – J. Clim. Appl. Meteor. **22**, 517-529

Horst T.W. (1977): *A surface depletion model from a gaussian plume* – Atmos. Environ., **11**, 41-46

Hotchkiss R.S., F.H. Harlow (1973): *Air pollution transport in street canyons* – EPA-RA-73-029

Huber A.H., W.H. Snyder (1976): *Building wake effects on short stack effluents* - Reprint Volume for the Third Symposium on Atmospheric Diffusion and Air Quality, AMS

Hshem A., C.S. Parker (1991): *A simplified heavy particle random-walk for the prediction of drift from agricultural sprays* – Atmos. Environ., **25A**, 1609-1614

Hurley P., W.L. Physick (1993): *A skewed homogeneous lagrangian particle model for convective conditions* – Atmos. Environ. **27A**, 619-624

Hurley P., W.L. Physick (1993): *Lagrangian particle modelling of buoyant point sources: plume rise and entrainment under convective conditions* – Atmos. Environ., **27A**, 1579-1584

I

Ibarra J.I. (1995): *A new approach for the determination of horizontal wind direction fluctuations* – J. Appl. Meteor., **34**, 1942-1949

Idso S.B. (1981): *A set of equations for full spectrum and 8 to 14 μm and 10.5 to 12.5 μm thermal radiation from cloudless skies* – Water Resour. Res., **17**, 295-304

Idso S.B., R.D. Jackson (1969): *Thermal radiation from the atmosphere* - J. Geophys. Res., **74**, 5397-5403

Iribarne J.V., W.L. Godson (1973): *Atmospheric Thermodynamics* - Reidel Publishing Comp., Dordrecht, 259 pp.

Irwin J.S. (1979): *A theoretical variation of the wind profile power-law exponent as a function of surface roughness and stability* - Atmos. Envir. **13**, 191-194

Irwin J.S. (1983): *Estimation plume dispersion: a comparison of several sigma schemes* - J. Clim. Appl. Met. **22**, 92-114

Ishikawa (1994): *Mass-Consistent wind model as a meteorological processor for tracer transport models* - J. Appl. Meteor., **33**, 733-743

J

Jacobson M.Z. (1998): *Fundamental of Atmospheric Modeling* – Cambridge University Press, 656 pp.

Jeong S.J., M.J. Andrews (2002): Application of the k- ϵ turbulence model to the high Reynolds number skimming flow field of an urban street canyon. – Atmos. Envir., **36**, 1137-1145

Johnson W.B., F.L. Ludwig, W.F. Dabbert, R.J. Allen (1973) : *An urban diffusion simulation model for carbon monoxide* – JAPCA, **23**, 490-498

K

Kaimal J.C. (1982): *Sonic Anemometers* – in Air-Sea interaction: instruments and methods ed. by F. Dobson, L. Hasse, R. Davis, Plenum Press, New York, 801 pp.

Kaimal J.C., N.L. Abshire, R.B. Chadwick, M.T. Decker, W.H. Hooke, R.A. Kropfli, W.D. Neff, F. Pasqualucci (1982): *Estimating the depth of the daytime convective boundary layer* – J. Appl. Meteor., **21**, 1123-1129

Kaimal J.C., J.E. Gaynor (1991): *Another look at sonic thermometry* – Bound. Layer Meteor. **56**, 401-410

Kaimal J.C., J.J. Finnigan (1994): *Atmospheric Boundary Layer Flows: their structure and measurements* - Oxford University Press, New York, 289 pp.

Kasten F., G. Czeplak (1980): *Solar and terrestrial radiation dependent on the amount and type of clouds* – Solar Energy, **24**, 177-189

Kondo J., A. Miura (1985): Surface heat budget of the western Pacific for May 1979 – J. Meteor. Soc. Japan, **63**, 633-646

Kristensen L. (2000): *Measuring higher-order moments with a cup anemometer* – J. of Atmos. Ocean. Tech. **17**, 1139-1148.

Kropfli R.A. (1985): *Radar probing and measurement of the Planetary Boundary Layer: scattering from particulates* - in Probing the Atmospheric Boundary Layer, American Meteorological Society, Boston, MA

Kukkonen J., J. Harkonen, J. Walden, A. Karppinen, K. Lusa (2001): *Evaluation of the CAR-FMI model against measurements near a major road* – Atmos. Environ., **35**, 949-960

Kukkonen J., E. Valkonen, J. Walden, T. Koskentalo, P. Aarnio, A. Karpinnen, R. Berkowicz, R. Kartastenpaa (2001): *A measurement campaign in a street canyon in Helsinki and comparison of results with predictions of the OSPM model* - Atmos. Environ., **35**, 231-243

L

Lamb R.G. (1978): *A numerical simulation of dispersion from an elevated point source in the convective planetary boundary layer* - Atmos. Environ., **12**, 1297-1304

Lamb R.G. (1980): *Mathematical principles of turbulent diffusion modeling* - in A. Longhetto: Atmospheric Planetary Boundary Layer Physics - Elsevier.

Lamb R.G. (1982): *Diffusion in the convective boundary layer* – Atmospheric Turbulence and Air Modelling, F.T.M. Nieuwstadt e H. van Dop eds., Reidel, 159-229.

Lanzani G., M. Tamponi (1995): *A microscale lagrangian particle model for the dispersion of primary pollutants in a street canyon. Sensitivity analysis and first validation trial* – Atmos. Environ., **29**, 3465-3475

Lee I.Y., H.M. Park (1994): *Parameterization of the pollutant transport and dispersion in urban street canyons* – Atmos. Environ., **28**, 2343-2349

Lenschow D.H., C.J. Zhu, B.B. Stankov (1988): *The stably stratified boundary layer over the Great Plains* – Bound. Layer Meteor., **42**, 95-121

Liou K.N. (1992): *Radiation and Cloud Processes in the Atmosphere - Theory, Observations, and Modeling* - Oxford University Press., New York, 487 pp.

Li Zong-Kai, G.A. Briggs (1988): *Simple PDF model for convectively driven vertical diffusion* - Atmos. Environ. **22**, 55-74

Løfstrøm, H.R. Olesen (1992): *User's Guide for OML-MULTI An air pollution model for multiple point and area sources* - National Environmental Research Institute MST LUFT-A126

Lo A. K. (1977): *On the determination of boundary layer parameters using velocity profile as the sole information* – Bound. Layer Meteor. **17**, 465-484

Lo A.K. (1989): *On the determination of zero-plane displacement and roughness length for flow over forest canopies* – Bound. Layer Meteor., **51**, 255-268

Lo A.K. (1995): *Determination of zero-plane displacement and roughness length of a forest canopy using profiles of limited height* – Bound. Layer Meteor., **75**, 392-402

Luhar A.K., R.S. Patil (1989): *A general finite line source model for vehicular pollution prediction* – Atmos. Environ., **23**, 555-562

Luhar A.K., R.E. Britter (1989): *A random walk model for dispersion in inhomogeneous turbulence in a convective boundary layer* – Atmos. Environ., **23**, 1911- 1924

Luhar A.K., B.L.Sawford (1995): *Lagrangian stochastic modeling of the coastal fumigation phenomenon*-J.Appl. Meteor. **34**, 2259-2277

Luhar A.K., M.F. Hibberd, P.J. Hurley (1996): *Comparison of closure schemes used to specify the velocity PDF in Lagrangian Stochastic Dispersion Models for convective conditions* – Atmos. Environ. **30**, 1407-1418

M

- Mahrt L., J.C. Andr , R.C. Healt (1982): *Atmospheric transport of sulphur compound pollutatnts.* – Central Electricity Generating Buraeu MID/SSD/80/0026/R, Nottingham, England
- Mastrantonio G. (1996): *Telesondaggio acustico dell'atmosfera* - CNR IFA R.I. 96-14
- Matveev L.T. (1965): *Physics of the Atmosphere* - Israel Program for Scientiphic Translations., Gerusalemme, 678 pp.
- McMahon T.A., P.J. Denison (1979): *Empirical atmospheric deposition parameters – A servey* – Atmos. Environ., **13**, 571-585
- McMillen R. (1988): *An eddy correlation technique with extended applicability to non simple terrain.* Bound. Layer Meteor. **43**, 231-245
- Mikkelsen T., S.E. Larsen, H.L. P cseli (1987): *Diffusion of gaussian puffs*''- Q.J.R. Meteorol. Soc., **113**, 81-105
- Misra P.K. (1982): *Dispersion of non-buoyant particles inside a convective boundary layer* - Atmos. Environ. **16**, 239-243
- Moeng C.H. (1984): *A Large_Eddy-Simulation model for the study of Planetary Boundary Layer turbulence* – J. Atmos. Sciences, **41**, 2052-2062
- Moeng C.H., J.C. Wyngaard (1984): *Statistics of conservative scalars in the convective boundary layer* – J. Atmos. Sci., **41**, 3161-3169
- Moeng C.H., J.C. Wyngaard (1989): *Evaluation of turbulent transport and dissipation closures in second-order modeling* – J. Atmos. Sci., **46**, 2311-2329
- Monin A.S., A.M. Yaglom (1971a): *Statistical fluid mechanics: mechanics of turbulence Vol. 1* – MIT Press, Cambridge, 769 pp.
- Monin A.S., A.M. Yaglom (1971b): *Statistical fluid mechanics: mechanics of turbulence Vol. 2* – MIT Press, Cambridge, 874 pp.
- Monti P, G. Leuzzi (1996): *A closure to derive a three-dimensional well-mixed trajectory-model for non-gaussian, inhomogeneous turbulence* - Bound. Layer .Meteor. **80**, 311-331
- Mori Y. (1986): *Evaluation of several single-pass estimations of the mean and the standard deviation of wind direction* – J. Clim. Appl. Meteor., **25**, 1387-1397
- Moussiopoulos N., T. Flassak, G. Knittel (1988): *A refined diagnostic wind model* - Environ. Software, **3**, 85-94

N

- Nakamura Y, T.R. Oke (1988): *Wind, temperature and stability conditions in east-west oriented urban canopy* – Atmos. Environ., **22**, 2691-2700
- Neff W.D. R.L. Coulter (1986): *Acoustic Remote Sensing*, in *Probing the Atmospheric Boundary Layer*, American Meteorological Society, Boston, 1986.

Nieuwstadt F.T.M. (1978): *The computation of the friction velocity and the temperature scale from temperature and wind velocity profiles by least-squares methods* – Bound. Layer Meteor. **14**, 235-246

Nieuwstadt F.T.M. (1980): *Application of mixed layer similarity to the observed dispersion from a ground level source* - J. Appl. Meteor, **19**, 157-162

Nieuwstadt F.T.M. (1984): *Some aspects of the turbulent stable boundary layer* – Bound. Layer Meteor., **30**, 31-55

Nieuwstadt F.T.M. (1984): *The turbulent structure of the stable, nocturnal boundary layer* - J. Atmos. Sci., **41**, 2202-2216

Nieuwstadt F.T.M., A.P. van Ulden (1978): *A numerical study on the vertical dispersion of passive contaminants from a continuous source in the atmospheric Surface Layer* - Atmos. Environ. **12**, 2119-2124

Nieuwstadt F.T.M., H. van Dop (1982): *Atmospheric Turbulence and Air Pollution Modelling* – Reidel, Dordrecht, 358 pp.

O

Oettl D., J. Kukkonen, R.A. Almbauer, P.J. Sturm, M. Pohjola, J. Harkonen (2001): *Evaluation of a Gaussian and Lagrangian model against a roadside data set, with emphasis on low wind speed conditions* – Atmos. Environ., **35**, 2123-2132

Oke T.R. (1987): *Boundary Layer Climates* –Routledge, Cambridge, 435 pp.

Overcamp T.J. (1976): *A general gaussian diffusion-deposition model for elevated point sources* – J. Appl. Meteor., **15**, 1167-1171

P

Paltridge G.W., C.M. Platt (1976): *Radiative processes in meteorology and climatology* - Elsevier

Panofsky H.A., H. Tennekes, D.H. Lenshow, J.C. Wyngaard(1977): *The characteristics of turbulent velocity components in the surface layer under convective conditions* – Bound. Layer Meteor., **11**, 355-361

Panofsky H.A., J.A. Dutton (1983): *Atmospheric Turbulence Models and Methods for engineering applications* - J. Wiley & Sons, New York, 397 pp.

Paulson C.A. (1970): *The mathematical representation of wind speed and temperature profiles in the unstable atmospheric surface layer* - J. Appl. Meteor., **9**, 857-861

Perry S.G. (1992): *CTDMPLUS: a dispersion model for sources near complex topography. Part I: technical formulations* - J. Appl. Meteor. **31**, 633-645

Perry S.G., D.J.Burns, L.H. Adams, R.J. Paine, M.G. Dennis, M.T. Mills, D.G. Strimaitis, R.J. Yamartino, E.M. Insley (1989): *User's guide to the Complex Terrain Dispersion Model plus algorithms for unstable situations (CTDMPLUS)* - US EPA EPA/600/8-89/041

Perry S.G., A.J. Cimorelli, R.F. Lee, R.J. Paine, A. Venkatram, J.C. Weil, R.B. Wilson (1995): *AERMOD: a dispersion model for Industrial Source Application* - Sixth Conference on Air Quality Modeling , Washington DC 9-10 Agosto 1995

Petersen W.B. (1980): *User's Guide for HIWAY-2, a highway air pollution model* – US-EPA-600/8-80-018

Petersen W.B., L.G. Laudas (1986): *Inpuff. A multiple source gaussian puff dispersion algorithm* – US_EPA, EPA/600/09

Physick WL, J.A.Noonam, J.L.McGregor, P.J. Hurley, D.J. Abbs, P.C. Marins (1994): *LADM- a lagrangian atmospheric dispersion model* - CSIRO Technical Paper No, 24 pp.137

Pielke R.A. (2002): *"Mesoscale Meteorological Modeling"* - Academic Press, New York, 672 pp.

Pleim J., A. Venkatram, R.J. Yamartino (1984): *The fry deposition model. Vol.4 ADOM/TADAP* - Model Development Program. Ontario Ministry of the Environment

R

Rao K.S. (1981): *Analytical solutions of a gradient-transfer model for plume deposition and sedimentation* – NOAA Tech. Memorandum ERL-ARL-109

Rao S.T., M.T. Keenan (1980): *Suggetstion for improuvement of the EPA-HiWAY model* – J. Air Pollut. Control Ass., **30**, 247-256

Ratto C.F., R. Festa, C. Romeo, O.A. Frumento, M. Galluzzi (1994): *Mass-consistent models for wind fields over complex terrain: the state of the art* - Environ. Soft. **9**, 247-268

Reynolds A.M. (2000): *On the application of a Lagrangian Particle-Puff model to elevated sources in Surface Layers with neutral stability* – J. Appl. Meteor., **39**, 1218-1228

Rodean H.C. (1996): *Stochastic lagrangian models of turbulent diffusion* - American Meteorological Society, Boston 84 pp.

Ross D.G., I.N. Smith, P.C. Manins, D.G. Fox (1988): *Diagnostic wind field modeling for complex terrain: model development and testing* - J. Appl. Meteor., **27**, 785-796

Rotach M.W., S.E. Gryning, C. Tassone (1995): *A two-dimensional Lagrangian stocastic dispersion model for daytime conditions* – Quart. J. Roy. Meteor. Soc., **122**, 367-389

Rote D. (1980): *Gaussian Plume Models - Theoretical aspects* - in "Atmospheric Planetary Boundary Layer Physics" ed. A. Longhetto - Elsevier

S

Sawford B.L. (1999): *Rotation of trajectories in lagrangian stochastic models of turbulent dispersion*- Bond. Layer Meteor. **93**, 411-424

Sawford B.L., F.M. Guest (1988): *Uniqueness and universality of lagrangian stochastic models of turbulent dispersion* - in Preprint, 8th Symposium on Turbulence and Diffusion, San Diego, CA, Aprile 25-29 1988. Amer. Meteor. Soc., Boston MA

Sawford B.L., F.M. Guest(1991): *Lagrangian statistical simulation of the turbulent motion of heavy paricles* – Bound. Layer Meteor., **54**, 147-166

Scire J.S., L.S. Schulman (1980): *Modeling plume rise from low level buoyant line and point sources* - Proc. 2nd Joint Conf. on Applications of Air Pollution Meteorology, American Meteorological Society

- Scire J.S., D.G. Strimaitis, R.J. Yamartino (2000): *A User's Guide for the CALPUFF Dispersion Model* – Earth Tech, Inc.
- Seinfeld J.H., S.N. Pandis (1998): *Atmospheric Chemistry and Physics of Air Pollution*; John Wiley&Sons, NY, pp 1326
- Schulman L.S., S.R. Hanna (1986): *Evaluation of downwash modifications to the Industrial Source Complex Model* -J. Air Poll. Control Assoc. **36**, 258-264
- Sehmel G.A. (1980): *Particle and gas dry deposition: a review* – Atmos. Environ., **14**, 983-1011
- Seibert P., F. Beyrich, S.E. Gryning, S. Joffre, A. Rasmussen, P. Tercier (1998): *Mixing height determination for dispersion modelling* – In: Harmonization of the pre-processing of the meteorological data for atmospheric dispersion models - European Commission COST Action 710 – Final Report EUR 18195 EN
- Seinfeld J.H., S.N. Pandis (1998): *Atmospheric chemistry and Physics* – John Wiley&Sons, New York, 1326 pp.
- Sherman C.A. (1978): *A mass-consistent model for wind fields over complex terrain* - J. Appl. Meteor., **17**, 312-319
- Slin S.A., W.G.N. Slin (1980): *Predictions for particle deposition on natural waters* – Atmos. Environ., **14**, 1013-1016
- Sorbjan Z. (1989): *Structure of the Atmospheric Boundary Layer* - Printice Hall, Englewood Cliffs,NJ, 317 pp.
- Sozzi R., M. Favaron (1996): *Sonic anemometry and thermometry: theoretical basis and data-processing software*. Environ. Software vol. 11, **4**, 259-270
- Sozzi R., M. Favaron, T. Georgiadis (1998): *Method for estimation of surface roughness and Similarity function of the wind speed vertical profile* – J. Appl. Meteorol, **37**, 461-469
- Sozzi R., A. Salcido, R. Saldaña Flores, T. Georgiadis (1999): *Daytime net radiation parameterisation for Mexico City suburban areas* – Atmos. Res. **50**, 53-68
- Sozzi R., F. Rossi, T. Georgiadis (2000): *Parameter estimation of surface layer turbulence from wind speed vertical profile* - Environ. Modeling&Soft, **16**, 73-85
- Sozzi R., M. Valentini, T. Georgiadis (2002): *Introduzione alla turbolenza atmosferica* – Concetti, Stime e Misure – ed. Pitagora, Bologna, 525 pp.
- Stohl A., M. Hittenberger, G. Wotawa (1998): *Validation of the lagrangian particle dispersion model FLEXPART against laye scale tracer experiment data* - Atmos. Environ. **24**, 4245-4264
- Stull R.B. (1989): *An Introduction to Boundary Layer Meteorology* - Kluwer Academic Publishers, Dordrecht, 666 pp.
- Stull R.B. (1993): *Rewew of non-local mixing in turbullent atmospheres: transilient turbulence theory* – Bound. Layer Meteor.,**62**, 21-96
- Stull R.B. (1995): *Meteorology Today For Scientists and Engineers* - West Publishing Company. Minneapolis, 385 pp.
- Surridge A.D. (1990): *The stable boundary layer temperature profile and the effect of the heath loss*

from the body of the atmosphere – Atmos. Env., **24A**, 1285-1296

Sykes R.I., S.F. Parker, D.S. Henn, C.P. Cerasoli, P. Santos (1998): *PC-SCIPUFF Version 1.2P Technical Documentation* – Titan Corporation ARAP Report No. 718

Swinbank W.C. (1963): *Longwave radiation from clear skies* - Q. J. R. Meteor. Soc., **89**, 339-348

T

Tennekes H., J.L. Lumley (1972): *A first course in the turbulence* - MIT Press, Cambridge (MA) 300 pp.

Thykier-Nielsen S., S. Deme, T. Mikkelsen (1999): *Description of the Atmospheric Dispersion Model RIMPUFF* – RODOS(WG2)-TN(98)-02 Riso Roskilde Danimarca

Thomson D.J. (1987): *Criteria for the selection of stochastic models of particle trajectories in turbulent flows* - J. Fluid Mech. **180**, 529-556

Thomson D.J. e Montgomery (1994): *Reflection boundary conditions for random Walk models of dispersion in non-gaussian turbulence* – Atmos. Environ. **28**, 1981-1987

Thomson D.J., W.L. Physick, R.H. Margon (1997): *Treatment of interfaces in random-walk dispersion models* – J. Appl. Meteor. **36**, 1284-1295

Tillman J.E. (1972): *The indirect determination of stability, heat, and momentum fluxes in the atmospheric boundary layer from simple scalar variables during dry unstable conditions* – J. Appl. Meteor., **11**, 783-792

Tirabassi T., P. Pasi, T. Georgiadis: *Evaluation of boundary layer parameters from elementary meteorological data near the ground in Antarctica*; Acta of 7th Workshop Italian Research on Antarctic Atmosphere, 22-24 October 1997 – Bologna Italy

Tomasi A. (1983): *The nocturnal surface inversion height in the Po valley* – Atm.. Environ., **17**, 1123-1129

Turner D.B. (1970): *Workbook of atmospheric dispersion estimates* - EPA AP-26 (NTIS PB 191-482)

Turner D.B. (1985): *Proposed pragmatic methods for estimating plume rise and plume penetration through atmospheric Layers* - Atmos. Environ. **19**, 1215-1218

U

U.S. Environmental Protection Agency (1987): *On-Site Meteorological Program Guidance for Regulatory Modeling Applications*; EPA-450/4-87-013

US_EPA (1995): *A user's guide for the CALMET meteorological model*; EPA-454/B-95-002

US- EPA (1995): *A user's guide for the CALPUFF dispersion model*; EPA-454/B-95-006

U.S. Environmental Protection Agency (1995): *User's Guide for the Industrial Source Complex (ISC3) Dispersion Models* – EPA-454/B-95-003b

U.S. Environmental Protection Agency (2000): *Meteorological monitoring guidance for regulatory modeling applications* -; EPA-454/R-99-005

V

- Van der Hover I. (1968): *Deposition of particles and gases* – in Meteorology and Atomic Energy (D. Slade ed.), pp 202-208, USAEC, TID-24190
- Van Dop H. (1993): *Buoyant plume rise in lagrangian framework* – Bound. Layer Meteor., **62**, 97-105
- Van Ulden A.P. (1978): *Simple estimates for vertical diffusion from sources near the ground* - Atmos. Environ. **12**, 2125-2129
- Van Ulden A.P., A.A.M. Holtslag (1985): *Estimation of atmospheric boundary layer parameters for diffusion applications* – J. Clim. Appl. Meteor., **24**, 1196-1207
- Venkatram A. (1980): *Estimating the Monin-Obukhov length in the stable boundary layer for dispersion calculations* – Bound. Layer Meteor., **19**, 481-485
- Venkatram A. (1980): *Dispersion in the Stable boundary layer*; in “Lectures on Air Pollution Modeling, ed. A. Venkatram, J.C. Wyngaard, American Meteorological Society, Boston, 390 pp.
- Venkatram A. (1988): *Dispersion in Stable Boundary Layer* – in “Lectures on Air Pollution Modeling”, (A. Venkatram e J.C. Wyngaard eds), American Meteorological Society, Boston, 390 pp.
- Venkatram A. (1988): *Topics in Applied Dispersion Modeling* – in Lectures on Air Pollution Modeling ed. A. Venkatram, J.C. Wyngaard, American Meteorological Society, Boston, 390 pp.
- Venkatram A., D. Strimaitis, D. DiCristofaro (1984): *A semi-empirical model to estimate vertical dispersion of elevated releases in the stable boundary layer* - Atmos. Environ. **18**, 923-928.
- Venkatram A., R. Brode, A. Cimorelli, R. Lee, R. Paine, S. Perry, W. Peters, J. Weil, R. Wilson (2001): *A complex terrain dispersion model for regulatory applications* – Atmos. Environ., **35**, 4211-4221
- Verhoef A., H.A.R. De Bruin, B.J.M. Van den Hurk (1997): *Some practical notes on the parameter kB^{-1} for sparse vegetation* - J. Appl. Meteor., **36**, 560- 572

W

- Wallace J.M., P.V. Hobbs (1977): *Atmospheric Science* Academic Press, Orlando,. 467 pp
- Weaver H.L. (1990): *Temperature and humidity flux-variance relations determined by one-dimensional eddy correlation* - Bound. Layer. Meteor., **53**, 77-91
- Weber R. (1991): *Estimator for the standard deviation of wind direction based on moments of the cartesian components* – J. Appl. Meteor., **30**, 1341-1353
- Weber R. (1992): *A comparaison of different estimators for the standard deviation of wind direction based on persistence* – Atmos. Environ., **26A**, 983-986
- Weber R. (1997): *Estimators for the standard deviation of horizontal wind direction* – J. Appl. Meteor., **36**, 1403-1415
- Weber R. (1999): *Remarks on the definition and estimation of friction velocity* - Bound. Layer Meteor. **93**: 197-209.
- Weil J.C. (1988): *Plume Rise* - in “Lectures on Air Pollution Modeling” (A. Venkatram e J.C. Wyngaard eds) American Meteorological Society, Boston, 390 pp.

- Weil J.C. (1988): *Dispersion in the Convective Boundary Layer* - in Lectures on Air Pollution Modeling (A. Venkatram e J.C. Wyngaard eds.) , American Meteorological Society, Boston, 390 pp.
- Weil J.C. (1990): *A diagnosis of the asymmetry in top-down and bottom-up diffusion using a Lagrangian stochastic model* - J. Atmos. Sci., **47**, 501-515
- Weil J.C. (1992): *Dispersion in a rapidly evolving convective boundary layer* -in Proceeding di Tenth Symposium on turbulence and diffusion- American Meteorological Society 29/9 2/10 1992 Portland, Oregon
- Weill A., C. Klapisz, B. Strauss, F. Baudin, C. Jaupart, P. Van Grunderbeeck, J.P. Goutorbe (1980): *Measuring heat flux and structure functions of temperature fluctuations with an acoustic doppler SODAR* - J. Appl. Meteor., **19**, 199-205
- Weil J.C., R.B. Brower (1982): *The Maryland PPSP Dispersion Model for Tall Stacks* -Report PPSP-MP-36 Environmental Center Martin Marietta corp. Baltimore, MD
- Weil J.C., L.A. Corio, R.P. Brower (1997): *A PDF dispersion model for buoyant plumes in the convective boundary layer* – J. Appl. Meteor., **36**, 982-1003
- Wesely M.L. (1988): *Use of variance techniques to measure dry air-surface exchange rates* – Bound. Layer Meteor., **44**, 13-31
- Wetzel P.J. (1982): *Toward parameterization of the stable boundary layer* - J. Atmos. Sci., **21**,7-13
- Wieringa J. (1993): *Representative roughness parameters for homogeneous terrain* – Bound. Layer Meteor., **63**, 323-363
- Willis G.E., J.W. Deardorff (1974): *A laboratory model of the unstable planetary boundary layer* – J. Atmos. Sci., **31**, 1297-1307
- Willis G.E., J.W. Deardorff (1976): *A laboratory study of dispersion from an elevated source in a convective mixed layer* – Atmos. Envir. **12**, 1305-1313
- Willis G.E., J.W. Deardorff (1978): *A laboratory study of diffusion into a convective planetary boundary layer* – J. Q. J. R. Meteorol. Soc., **105**, 109-117
- Willis G.E., J.W. Deardorff (1981): *A laboratory study of dispersion from a source in the middle of the convective planetary boundary layer* – Atmos. Envir., **12**, 1305-1313
- Wilson J.D. (2000): *Trajectory models for heavy particles in atmospheric turbulence: comparison with observations* –J. Appl. Meteor., **39**, 1894-1912
- Wilson J.D. ,T.K. Flesch (1993): *Flow boundaries in random flight dispersion model enforcing the well-mixed condition* - J. Appl. Meteorol., **32**, 1695-1707
- Wilson J.D., B.L. Sawford (1996): *Review of lagrangian stochastic models for trjectories in the turbulent atmosphere* – Bound. Layer Meteor., **78**, 191-210
- Wilson J.D., B.J. Legg, D.J. Thomson (1983): *Calculation of particle trajectories in presence of a gradient in turbulent-velocity variance* - Bound. Layer Meteor. **27**, 163-169
- Wyngaard J.C. (1990): *Scalar fluxes in the planetary boundary layer* - Bound. Layer Meteor. **50**, 49-79
- Wyngaard J.C., O.R. Cotè, Y. Izumi (1971): *Local free convection, similarity and the budgets of shear stress and heat flux* – J. Atmos. Sci, **28**, 1171-1182

Y

- Yaglom A.M. (1972): *Turbulent diffusion in the surface layer of the atmosphere*. Izv. Akad. Nauk USSR, Atmos. Ocean. Phys. **8**, 333-340
- Yamada T.(1976): *On similarity functions A, B and C of the planetary boundary layer*. Journal of Atmospheric. Science, 33:781-793
- Yamada T. (2000): *Lagrangian dispersion model for nonneutrally buoyant plumes* – J. Appl. Meteor., **39**, 427-436
- Yamada T., S. Bunker (1988): *Development of a nested grid, second moment turbulence closure model and application to the ASCOT Brush Creek data simulation* – J. Appl. Meteor., **27**, 562-578
- Yamartino R.J. (1977): *A new method for computing pollutant concentrations in the presence of limited vertical mixing* - APCA Note-Book, 27(5):467
- Yamartino R.J. (1984): *A comparison of several single-pass estimators of the standard deviation of wind direction* – J. Clim. Appl. Meteor., **23**, 1362-1366
- Yamartino R.J., G. Wiegard (1986): *Development and evaluation of simple models for the flow, turbulence and pollution concentration fields within an urban street canyon* – Atmos. Environ., **20**, 2137-2156
- Yeh G.T., C.H. Huang (1975): *Three-dimensional air pollutant modeling in the lower atmosphere* – Bound. Layer Meteor., **9**, 381

Z

- Zannetti P.(1990): *Air Pollution Modeling - Theories, computational methods and available software* - Van Nostrand Reinhold, New York, 444 pp
- Zilitinkevich S.S. (1989): *Velocity profiles, the resistance law and the dissipation rate of mean flow kinetic energy in neutrally and stably boundary layer* – Bound. Layer Meteor. **46**, 367-378
- Zoumakis N.M. (1992): *Estimating the zero-plane displacement and roughness length for tall vegetation and forest canopies using semi-empirical wind profiles* – J. Appl. Meteor., **32**, 574-579
- Zlatev Z. (1995): *Computer treatment of large air pollution models* – Kluwer Academic Publishers, Dordrecht, 358 pp